

DUALFLUX

FLOW REVERSERS


2 Ш M Ш

DUALFLUX Flow Reversers are **DEBEM** fittings which allow, through an internal passage exchange, to **reverse the flow, that is to exchange the suction with the delivery.** They can also be remote-controlled by means of a pneumatic or electric five-way valve. Easy to install, they assure a safe and quick exchange.



DUALFLUX






INSTALLATION

Dualflux Flow Reverser must be connected as near as possible both with the pump suction and with the delivery.


HOW IT WORKS

By connecting the pump suction and delivery to the Dualflux, they may be inverted only operating a valve (pneumatic or electric) which will allow the exchange inside the Flow Reverser.

Suction from tank A to tank B



Suction from tank B to tank A










DUALFLUX



APPLICABILITY

Flow reverser	Pump
DUALFLUX 15	CUBIC 15
DUALFLUX 50	BOXER 50/MICROBOXER
DUALFLUX 100	BOXER 81/100
DUALFLUX 150	BOXER 150
DUALFLUX 251	BOXER 251
DUALFLUX 502	BOXER 502
DUALFLUX 503	BOXER 503

DUALFLUX COMPOSITION CODES

ex. DUAL15PD

Dualflux 15 in PP + o-ring in EPDM

ы	IAI	1	
ы	JAI		3

DUALFLUX modell
DUAL 15 - Dualflux 15
DUAL 50 - Dualflux 50
DUAL 100 - Dualflux 100
DUAL 150 - Dualflux 150
DUAL 250 - Dualflux 250
DUAL 502 - Dualflux 502
DUAL 503 - Dualflux 503

P

DUALFLUX body

P - Polyprilene

DUALFLUX 15/50/100

O-ring	
D - EPDM V - VITON	